

=> d his

(FILE 'HOME' ENTERED AT 12:08:01 ON 02 SEP 2000)
SET COST OFF

FILE 'HCAPLUS' ENTERED AT 12:08:12 ON 02 SEP 2000

		E CHEN J/AU
L1	983	S E3,E16
		E CHEN JAU/AU
		E "E EXCEL"/PA,CS
		E EXCEL/PA,CS
L2	100	S E3,E4
L3	1083	S L1,L2
L4	1	S L3 AND ?CACTUS?
L5	0	S L3 AND ?CACTI?
L6	0	S L3 AND ?GINSEN?
L7	4162	S ?GINSEN?
L8	0	S SHINSENG
L9	16	S RENSHEN OR REN SHEN
		E PANAX/CT
L10	3	S E4-E6
L11	1	S SHIN SENG
		E GINSENG/CT
L12	3219	S E3-E17
		E ARALIACEAE
L13	219	S E1-E7
L14	4330	S L7-L13
L15	695	S ?CACTUS?
L16	123	S CACTI
		E CACTACEAE
L17	179	S E1-E6,E8
		E ACANTHOCEREUS/CW
L18	3	S E3
		E ACANTHOCEREUS/CT
L19	3	S E4,E5
		E DISCOCACTUS/CW
		E LEPIS/CW
		E MAIHUEN/CW
L20	1	S E4
		E MAIHUEN/CT
L21	1	S E4
		E MAMMILLARIA/CW
L22	20	S E3
		E MAMMILLARIA/CT
L23	20	S E3-E22
		E MATUCANA/CW
		E NATUCANA/CW
		E OREOCEREUS/CW
L24	1	S E3
		E OREOCEREUS/CT
L25	1	S E4
		E MELOCACTUS/CW
L26	3	S E3
		E MELOCACTUS/CT
L27	5	S E3-E6
		E MILA/CW
		E MONVILLEA/CW
		E MYRTILLOCACTUS/CW
L28	9	S E3
		E MYRTILLOCACTUS/CT
L29	9	S E4
		E NEOLLOYDIA/CW
L30	4	S E3
		E NEOLLOYDIA/CT
L31	4	S E3

Point of Contact:
Jan Delaval
Librarian-Physical Sciences
CM1 1E01 Tel: 308-4498

	E NEOPORTERIA/CW
L32	2 S E3
	E NEOPORTERIA/CT
L33	2 S E3, E4
	E NEORAIMONDIA/CW
	E NEOWERDERMANNIA/CW
	E NOPAL/CW
L34	1 S E5
	E NOPAL/CT
L35	1 S E7
	E NOTOCACTUS/CW
L36	7 S E3
	E NOTOCACTUS/CT
L37	7 S E3-E8
	E NYCTOCEREUS/CW
	E OBREGONIA/CW
L38	3 S E3
	E OBREGONIA/CT
L39	3 S E4
	E OPUNTIA/CW
L40	389 S E3, E4
L41	2 S E5
L42	1 S E6
	E OPUNTIA/CT
L43	217 S E22-E65
	E OREOCEREUS/CW
L44	1 S E3
	E OREOCEREUS/CT
L45	1 S E4
	E OROYA/CW
L46	1 S E3
	E OROYA/CT
L47	1 S E4
	E PACHYCEREUS/CW
L48	16 S E3
	E PACHYCEREUS/CT
L49	16 S E3-E9
	E PARODIA/CW
L50	74 S E2, E4
	E PARODIA/CT
L51	2 S E3-E5
	E PEDIOCACTUS/CW
	E PELECYPHOR/CW
L52	5 S E4
L53	1 S E5
	E PELECYPHOR/CT
L54	6 S E4-E6
	E PENIOCEREUS/CW
L55	2 S E3
	E PENIOCEREUS/CT
L56	2 S E3, E4
	E PERESKIA/CW
L57	28 S E3-E5
	E PERESKIA/CT
L58	24 S E3-E7
	E PFEIFFERA/CW
L59	46 S E4
	E PFEIFFERA/CT
L60	6 S E4, E5
	E PTEROCACTUS/CW
	E THELOCACTUS/CW
L61	8 S E3
	E THELOCACTUS/CT
L62	8 S E3-E5
L63	1214 S L15-L62
L64	2 S L14 AND L63

FILE 'WPIDS' ENTERED AT 12:35:59 ON 02 SEP 2000

L65 2397 S L14
 L66 118 S L63
 L67 37 S ACANTHOCERE? OR DISCOCACT? OR LEPIS? OR MAIHUEN? OR MATUCAN?
 L68 2 S OROECEREUS? OR OROYA OR PACHYCEREU? OR PARODIA OR PEDIOCACT?
 L69 444 S ?CEREUS?
 E CACTA
 L70 8 S E7,E8
 L71 588 S L66-L70
 L72 4 S L65 AND L71

=> fil wpids

FILE 'WPIDS' ENTERED AT 12:42:21 ON 02 SEP 2000
 COPYRIGHT (C) 2000 DERWENT INFORMATION LTD

FILE LAST UPDATED: 31 AUG 2000 <20000831/UP>

>>>UPDATE WEEKS:

MOST RECENT DERWENT WEEK 200041 <200041/DW>
 DERWENT WEEK FOR CHEMICAL CODING: 200041
 DERWENT WEEK FOR POLYMER INDEXING: 200041
 DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE

>>> D COST AND SET NOTICE DO NOT REFLECT SUBSCRIBER DISCOUNTS -
 SEE HELP COST <<<

>>> FOR UP-TO-DATE INFORMATION ABOUT ALL 'NEW CONTENT' CHANGES TO
 WPIDS, INCLUDING THE DERWENT CHEMISTRY RESOURCE (DCR),
 PLEASE VISIT <http://www.derwent.com/newcontent.html> <<<

>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES,
 SEE <http://www.derwent.com/covcodes.html> <<<

=> d all abeq tech tot l72

L72 ANSWER 1 OF 4 WPIDS COPYRIGHT 2000 DERWENT INFORMATION LTD
 AN 2000-402930 [35] WPIDS
 DNC C2000-122246
 TI Topical composition for cosmetics, comprises skin whitening agent, plant
 extract(s), anti-inflammatory agent(s) and antioxidant.
 DC B04 D21
 PA (KOSE-N) KOSE KK
 CYC 1
 PI JP 2000119156 A 20000425 (200035)* 24p A61K007-48
 ADT JP 2000119156 A JP 1998-291798 19981014
 PRAI JP 1998-291798 19981014
 IC ICM A61K007-48
 ICS A61K007-00; A61K007-42; A61K007-50; A61P017-00; A61P017-16
 AB JP2000119156 A UPAB: 20000725
 NOVELTY - Topical composition comprises skin whitening agent, one or more
 plant extracts, one or more anti-inflammatory agents and anti-oxidant.
 DETAILED DESCRIPTION - The plant extract is selected from hoelen,
 carrot, **ginseng**, althea, Arnica, Aloe, Urtica, fennel, witch
 hazel, turmeric Scutellaria baicalensis, Phellodendron amurense, Hypericum
 erectum, rice, Polygonum bistorta, chamomile, Artemisia capillaris, kiwi,
 cucumber, Lonicera japonica, Sophora flavescens, grape, gardenia,
 watercress, comfrey, Saponaria officinalis, **cactus**, hawthorn,
 rehmannia root, perilla, peony, white birch, Equisetum arvense, linden,
 salvia, swertia, cnidium rhizome, mulberry, soybean, Thymus vulgaris,
 Angelica radix, Calendula officinalis, Hottuynia cordata, jujube
 cannister, sambucus, parsley, Coix lachryma-jobi, butcher's-broom, loofah,
 cattail, hop, horse chestnut, melissa, peach, Saxifraga, raspberry,
 lavender, milk vetch, rose, Rosa multiflora, rosemary, liquorice, tea,
 lily, barley, wheat, Angelica keiskei, apricot, avena, maize, Malva

syvestris, gromwell, red pepper, ginger, lettuce, lemon, quince, orange, strawberry, safflower, beech, Gentiana, Gentiana scabra, mint, green mint, Mentha piperita, Sapindus mukorossi, Eucalyptus, Sasa veitchi, Asiasarum sieboldii, Asiasarum heterotropoides varieties, mandshuricum, Lamium album, burdock, garlic, lupin, Ceratonia siliqua, pine, Hedera rhombea, Rodgersia podophylla, Sanguisorba officinalis, Clematis apiifolia varieties, biternata, avocado, plant worm, squill, grapefruit, prune, lime, geranium herb, shiitake mushroom, ononis, tormentilla, citron, goldthread, cypress, Ophiopogon japonicus, olive, Helianthus annuus, jojoba, macadamia nut, camellia, almond, cacao, sesame and/or borage.

USE - For cosmetics, medical applications.

ADVANTAGE - The topical composition has excellent skin whitening effect and high pigmentation inhibitory effect. Blackening, blotches, flakes and dullness of the skin are prevented. An ultraviolet rays protective agent prevents inflammation, blackening and pigmentation of the skin.

Dwg.0/0

FS CPI

FA AB; DCN

MC CPI: B04-A10; B14-C03; B14-R01; B14-S08; D08-B09A

L72 ANSWER 2 OF 4 WPIDS COPYRIGHT 2000 DERWENT INFORMATION LTD

AN 2000-387302 [33] WPIDS

DNC C2000-117498

TI Manufacture of whole bean curd useful to prevent geriatric diseases comprises addition of coagulating agent to cooled soybean milk.

DC A92 D13

IN LEE, C Y; LEE, D K; PARK, J M

PA (LEEC-I) LEE C Y; (LEED-I) LEE D K; (PARK-I) PARK J M

CYC 24

PI WO 2000027223 A1 20000518 (200033)* EN 15p A23L001-20

RW: AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

W: AU CA CN JP RU US

AU 2000010816 A 20000529 (200041) A23L001-20

ADT WO 2000027223 A1 WO 1999-KR674 19991110; AU 2000010816 A AU 2000-10816 19991110

FDT AU 2000010816 A Based on WO 200027223

PRAI KR 1999-7638 19990309; KR 1998-48514 19981111

IC ICM A23L001-20

AB WO 200027223 A UPAB: 20000712

NOVELTY - Manufacture of whole bean curd comprises preparing soybean milk, and adding a coagulating agent to the cooled soybean milk and then sterilizing it by a steam.

DETAILED DESCRIPTION - Manufacture of whole bean curd (I) comprises: (a) preparing soybean milk (II) by mixing minutely ground powder of raw soybeans with soft water and denaturing the obtained mixture by a steam activated with far infrared; (b) cooling (II) below room temperature; (c) adding a coagulating agent (III) to the cooled (II) and stirring the obtained mixture; and (d) sterilizing (II) by steam.

USE - To prevent various geriatric diseases.

ADVANTAGE - The manufactured whole bean curd exhibits good color, taste and can be stored for an extended period.

Dwg.0/0

FS CPI

FA AB

MC CPI: A12-P01B; D03-B06; D03-H01T

TECH UPTX: 20000712

TECHNOLOGY FOCUS - FOOD - Preferred Method: Sterilization of (II) by steam is separately implemented as a first heat sterilization at about 90-95degreesC and then a second heat sterilization of the sterilized (II) at about 120-130degreesC. The steam of about 70-80degreesC activated by far infrared for about 15-25 minutes is used. (II) is packaged by a plastic film which can shut oxygen after adding (II) to the cooled (II) and then the obtained mixture is stirred. (II) is cooled at about 3-8degreesC. The mixing ratio of the minutely ground powder of the raw soy beans and the soft water is about 1:5-6. (III) is 0.5-1 wt% based on a

whole amount of (II). (III) contains acetic acid.

Preferred Additive: The functional additive is added with (III). The additive is selected from dried carrot powder, dried spinach powder, dried egg and yolk powder, safflower seed, **ginseng**, cheese, mushroom and bagneoncho (a kind of **cactus**).

TECHNOLOGY FOCUS - POLYMERS - The plastic film is made from polypropylene resin.

L72 ANSWER 3 OF 4 WPIDS COPYRIGHT 2000 DERWENT INFORMATION LTD

AN 2000-020559 [02] WPIDS

TI Facial tissues using **ginseng**, herb medicines, and **Opuntia** tuna, and preparatory method thereof - NoAbstract.

DC P28

IN MIN, G Y

PA (MING-I) MIN G Y

CYC 1

PI KR 98076051 A 19981116 (200002)* A47K010-16

ADT KR 98076051 A KR 1997-12562 19970404

PRAI KR 1997-12562 19970404

IC ICM A47K010-16

FS GMPI

FA NOAB; GI

L72 ANSWER 4 OF 4 WPIDS COPYRIGHT 2000 DERWENT INFORMATION LTD

AN 1994-209197 [26] WPIDS

TI Compsn. for curing diabetes mellitus - comprises **cactus** juice, **ginseng**, atractylodes rhizome, poria and liquorice NoAbstract.

DC B04

IN LI, X; ZHANG, R

PA (SHEN-N) SHENYANG MEDICINE COLLEGE

CYC 1

PI CN 1076624 A 19930929 (199426)* A61K035-78

ADT CN 1076624 A CN 1993-110152 19930309

PRAI CN 1993-110152 19930309

IC ICM A61K035-78

FS CPI

FA NOAB

MC CPI: B04-A10F; B04-A10J; B14-S04

=> d his

(FILE 'HOME' ENTERED AT 12:08:01 ON 02 SEP 2000)
SET COST OFF

FILE 'HCAPLUS' ENTERED AT 12:08:12 ON 02 SEP 2000

L1 983 S E3,E16
 E CHEN J/AU
 E CHEN JAU/AU
 E "E EXCEL"/PA,CS
 E EXCEL/PA,CS
L2 100 S E3,E4
L3 1083 S L1,L2
L4 1 S L3 AND ?CACTUS?
L5 0 S L3 AND ?CACTI?
L6 0 S L3 AND ?GINSEN?
L7 4162 S ?GINSEN?
L8 0 S SHINSENG
L9 16 S RENSHEN OR REN SHEN
 E PANAX/CT
L10 3 S E4-E6
L11 1 S SHIN SENG
 E GINSENG/CT
L12 3219 S E3-E17
 E ARALIACEAE
L13 219 S E1-E7
L14 4330 S L7-L13
L15 695 S ?CACTUS?
L16 123 S CACTI
 E CACTACEAE
L17 179 S E1-E6,E8
 E ACANTHOCEREUS/CW
L18 3 S E3
 E ACANTHOCEREUS/CT
L19 3 S E4,E5
 E DISCOCACTUS/CW
 E LEPIS/CW
 E MAIHUEN/CW
L20 1 S E4
 E MAIHUEN/CT
L21 1 S E4
 E MAMMILLARIA/CW
L22 20 S E3
 E MAMMILLARIA/CT
L23 20 S E3-E22
 E MATUCANA/CW
 E NATUCANA/CW
 E OREOCEREUS/CW
L24 1 S E3
 E OREOCEREUS/CT
L25 1 S E4
 E MELOCACTUS/CW
L26 3 S E3
 E MELOCACTUS/CT
L27 5 S E3-E6
 E MILA/CW
 E MONVILLEA/CW
 E MYRTILLOCACTUS/CW
L28 9 S E3
 E MYRTILLOCACTUS/CT
L29 9 S E4
 E NEOLLOYDIA/CW
L30 4 S E3
 E NEOLLOYDIA/CT

*all other rep
irrelevant*

L31	4 S E3	E NEOPORTERIA/CW
L32	2 S E3	E NEOPORTERIA/CT
L33	2 S E3, E4	E NEORAIMONDIA/CW
		E NEOWERDERMANNIA/CW
		E NOPAL/CW
L34	1 S E5	E NOPAL/CT
L35	1 S E7	E NOTOCACTUS/CW
L36	7 S E3	E NOTOCACTUS/CT
L37	7 S E3-E8	E NYCTOCEREUS/CW
		E OBREGONIA/CW
L38	3 S E3	E OBREGONIA/CT
L39	3 S E4	E OPUNTIA/CW
L40	389 S E3, E4	
L41	2 S E5	
L42	1 S E6	E OPUNTIA/CT
L43	217 S E22-E65	E OREOCEREUS/CW
L44	1 S E3	E OREOCEREUS/CT
L45	1 S E4	E OROYA/CW
L46	1 S E3	E OROYA/CT
L47	1 S E4	E PACHYCEREUS/CW
L48	16 S E3	E PACHYCEREUS/CT
L49	16 S E3-E9	E PARODIA/CW
L50	74 S E2, E4	E PARODIA/CT
L51	2 S E3-E5	E PEDIOCACTUS/CW
		E PELECYPHOR/CW
L52	5 S E4	
L53	1 S E5	E PELECYPHOR/CT
L54	6 S E4-E6	E PENIOCEREUS/CW
L55	2 S E3	E PENIOCEREUS/CT
L56	2 S E3, E4	E PERESKIA/CW
L57	28 S E3-E5	E PERESKIA/CT
L58	24 S E3-E7	E PFEIFFERA/CW
L59	46 S E4	E PFEIFFERA/CT
L60	6 S E4, E5	E PTEROCACTUS/CW
		E THELOCACTUS/CW
L61	8 S E3	E THELOCACTUS/CT
L62	8 S E3-E5	
L63	1214 S L15-L62	
L64	2 S L14 AND L63	

L65 2397 S L14
 L66 118 S L63
 L67 37 S ACANTHOOCERE? OR DISCOCACT? OR LEPIS? OR MAIHUEN? OR MATUCAN?
 L68 2 S OREOCEREUS? OR OROYA OR PACHYCEREU? OR PARODIA OR PEDIOCACT?
 L69 444 S ?CEREUS?
 E CACTA
 L70 8 S E7,E8
 L71 588 S L66-L70
 L72 4 S L65 AND L71

FILE 'WPIDS' ENTERED AT 12:42:21 ON 02 SEP 2000

FILE 'JAPIO' ENTERED AT 12:42:40 ON 02 SEP 2000
 L73 1 S L72

FILE 'BIOBUSINESS' ENTERED AT 12:43:58 ON 02 SEP 2000
 L74 1 S L72

FILE 'NAPRALERT' ENTERED AT 12:44:23 ON 02 SEP 2000
 E CACTUS
 L75 104 S E2,E3
 E CACTACE
 L76 349 S E4-E7
 L77 362 S L75,L76
 L78 15 S L9,L16,L11
 L79 4 S GENSENG
 L80 2057 S GINSENG
 L81 0 S GENSING
 E GINSENG
 L82 2058 S E3-E6,E8-E12
 L83 840 S E13-E23
 L84 9 S E25-E30
 E GENSING
 E GENSENG
 L85 8 S E3,E4
 L86 2334 S L78-L85
 L87 295 S L67 OR L68
 L88 465 S L77,L87
 L89 9 S L86 AND L88

FILE 'KOSMET' ENTERED AT 12:50:17 ON 02 SEP 2000
 L90 4 S L88
 L91 20 S L86
 L92 2 S L90 AND L91
 L93 18 S GINSENG? OR GENSENG? OR GINSING? OR GENSING? OR RENSHEN OR RE
 L94 0 S L93 AND L90
 L95 0 S L93 AND CACTI
 L96 0 S L93 AND CACTUS
 L97 0 S L93 AND CACTAC?
 L98 0 S L93 AND CEREUS
 L99 0 S L93 AND OPTUNIA

=> set cost on

SET COMMAND COMPLETED